



CHEMICAL PRODUCTS CONTAINING DIMETHOATE

PERMIT TO ALLOW POSSESSION, SUPPLY AND USE OF SUSPENDED AGRICULTURAL PRODUCTS CONTAINING DIMETHOATE OR REGISTERED AGRICULTURAL PRODUCTS CONTAINING DIMETHOATE THAT ARE BEARING SUSPENDED OR CANCELLED LABELS

PERMIT NUMBER – PER13155

This permit is issued under s.114(1) and (3) of the Agvet Codes at the APVMA's initiative following the APVMA action to suspend all products containing dimethoate on 06 October 2011. Any person possessing, having custody of or otherwise dealing with suspended or registered dimethoate products, that bear suspended or cancelled labels or purporting to use this permit must comply with all requirements as specified in the Agvet Code of their State.

This permit is issued subject to the condition that any person using, or purporting to use, this permit must do so in accordance with the conditions set out in parts 1 to 5 of this permit.

WARNING:

The registration and/or label approvals of the products listed in Attachment 1 are not in force during the period of suspension.

A person must not possess with the intent to supply or deal with any of the suspended products or registered products bearing suspended or cancelled labels, during the suspension period, except in accordance with instructions issued by the APVMA. A failure to comply with the instructions issued by the APVMA may result in an offence against the Agvet Codes and compliance action being taken.

Suppliers should also note that it is an offence to advertise these suspended products or promote the use of these suspended products during the period of the suspension.

CONDITIONS OF THIS PERMIT

PERSON AUTHORISED

1. Persons who can use the product under this permit:

Persons generally.

DURATION

2. THIS PERMIT IS IN FORCE FROM 6 OCTOBER 2011 TO 5 OCTOBER 2014

JURISDICTION

3. ALL STATES

PRODUCTS

- 4. This permit applies to the suspended or registered products that contain dimethoate, bearing suspended or cancelled labels as specified in Attachment 1. This permit does not apply to products that may be used in the home garden. These home garden products are subject to another permit.**

CONDITIONS OF POSSESSION, SUPPLY AND USE

5. Permitted Dealings

Possession and custody:

A person may possess, have custody of, use or otherwise deal with the suspended dimethoate products (and products bearing a suspended or cancelled label) only in accordance with the instructions in Attachment 2 of this permit.

Users:

PERSONS who wish to use products containing dimethoate that are suspended or bear a suspended or cancelled label listed in Attachment 1 must read, or have read to them, the instructions included in Attachment 2 of this permit. Users who have had the instructions read to them must confirm to the reader that they understand the instructions.

Suppliers:

All suppliers must at the time of the supply of a product covered by this permit, provide to the person taking responsibility for the supplied product:

- a copy of this permit in full setting out the conditions and instructions for use, and
- supply product with a copy of the instructions in Attachment 2 of this permit securely affixed to each container of product.

Registrants:

All registrants must maintain records of product supplied under this permit. Specifically the records must include the quantity and dates of product supplied, the names and addresses of the persons supplied product and confirmation that at the time of supply of the product a copy of the instructions in Attachment 2 of this permit was securely affixed to all containers. The records must be progressively maintained whilst the permit is in force and retained for a minimum period of two years from the date of expiry of this permit. Records must be made available to the APVMA upon request.

Upon a request being made, the records are to be provided:

- immediately if the request is verbally from an APVMA Inspector who has attended the premises, or
- in the time specified in the written correspondence containing the request.

Issued by

Delegated Officer

14 January 2014

Note:

Permit Version 2 issued – 2/11/2011 to include clarification of the status of various use patterns.

Permit Version 3 issued - 01/10/2012 to extend the period until 05 October 2013.

Permit version 4 issued – 24/09/2013 to extend the use period until 05 October 2014 and also to include strawberry runner production – vegetative planting material only.

Permit Version 5 issued 14/01/2014 to include cancelled labels

ATTACHMENT 1: PRODUCTS

This permit applies to the following 400 g/L agricultural products bearing suspended or cancelled labels:

Product No.	Product Name	Registrant	Suspended or cancelled Label Approval No.
32962 (*)	Nufarm Dimethoate Systemic Insecticide	Nufarm Australia Limited	32962/0401 32962/0402 32962/0701 32962/0998 32962/1299 32962/0704 32962/0104 32962/1203 32962/1006 32962/53189
39239	Farmoz Dimethoate 400 Systemic Insecticide	Farmoz Pty Limited	39239/0402 39239/0897 39239/4252 39239/0708 39239/0809 39239/0108 39239/0405
49600	Saboteur Systemic Insecticide	Crop Care Australasia Pty Ltd	49600/01 49600/0100 49600/0702 49600/1107 49600/0306 49600/53186
51545 (*)	Chemag Dimethoate Insecticide	Imtrade Australia Pty Ltd	51545/0203 51545/1100
55441	4 Farmers Dimethoate 400 Systemic Insecticide	4 Farmers Pty Ltd	55441/0402
55495 (*)	Superway Dimethoate 400 Systemic Insecticide	Superway Garden Ag & Pest Products Pty Ltd	55495/0103
55704	Conquest Dimethoate 400 Systemic Insecticide	Conquest Crop Protection Pty Ltd	55704/0502
56454 (*)	Danadim Insecticide	Ospray Pty Limited	56454/0903 56454/0909 56454/1109 56454/0306
56887	United Farmers Unidime 400 Insecticide	Ravensdown Fertiliser Co-Operative Limited	56887/0303
57860	Halley Dimethoate 400 Systemic Insecticide	Halley International Enterprise (Australia) Pty Ltd	57860/0603
58374	Cropro Stalk Insecticide	PCT Holdings Pty Ltd	58374/0504
59469	AW Dimethoate 400 Systemic Insecticide	Agri West Pty Limited	59469/0105 59469/0609
62511	Titan Dimethoate 400 Systemic Insecticide	Titan Ag Pty Ltd	62511/0108 62511/0808
63470	Country Dimethoate 400 Systemic Insecticide	Accensi Pty Ltd	63470/1208
64309	Farmalinx Dimetholinx Insecticide	Farmalinx Pty Ltd	64309/0809
65259 (*)	Rover Systemic Insecticide	Sipcam Pacific Australia Pty Ltd	65259/0810
65260	Rogor Upgrade Insecticide	Ospray Pty Ltd	65260/50541
66538 (*)	ACP Dimethoate 400 Systemic Insecticide	Australis Crop Protection Pty Ltd	66538/53836

(*) These products are no longer suspended as they have other, later label approvals with instructions that are consistent with those issued at the time of suspension. Products bearing the label approval numbers listed above must be used only in accordance with the instructions in Attachment 2.

ATTACHMENT 2: INSTRUCTIONS FOR SUPPLY AND USE OF SUSPENDED PRODUCTS AND REGISTERED PRODUCTS BEARING SUSPENDED OR CANCELLED LABELS

These instructions apply to the use of suspended or registered agricultural products containing dimethoate that bear suspended or cancelled labels (as listed in Attachment1) during the period of suspension.

Possession and custody

A person may possess, have custody of, use or otherwise deal with the suspended dimethoate products (or registered products bearing a suspended or cancelled label) only in accordance with these instructions.

Supply

All suppliers must at the time of the supply of a product covered by this permit, provide to the person taking responsibility for the supplied product:

- a copy of this permit in full setting out the conditions and instructions for use, and
- supply product with a copy of these instructions securely affixed to each container of product.

Use

Product can only be used in accordance with the instructions contained in this permit during the period of suspension.

READ THESE INSTRUCTIONS before using or otherwise handling the product.

When using or otherwise handling the product, follow the instructions of the current label except as follows:

Prohibited Crop Uses

The existing (suspended or cancelled) label may include instructions for use on the crops listed below. The use of dimethoate on these crops is no longer approved and the following restraints apply.

DO NOT USE as a post-harvest treatment for capsicums or tomatoes.

DO NOT USE as a post-harvest quarantine treatment for capsicums or tomatoes.

DO NOT USE on tomatoes grown in covered or protected situations such as glasshouses, green houses or plastic tunnels.

DO NOT USE on cherry, grape or mini tomatoes

Prohibited Crop Uses – continued over page...

Prohibited Crop Uses (continued)

DO NOT USE as a foliar, post harvest or quarantine treatment on:

- Tropical or subtropical edible peel fruit [babacos, carambolas (Five Corner), figs and edible peel varieties of guavas, kiwifruit and persimmons].
- Pome fruit [apples, loquats, pears, quinces],
- Stone fruit after petal fall [apricots, cherries, nectarines, peaches, plums, apricot],
- Grapes after commencement of flowering,
- Berry fruit, (other than blackberries, raspberries, bilberries, blueberries and other vaccinium berries)
- Strawberries (except strawberry runners – vegetative planting material only)
- Vegetables, other than those listed below
 - Dimethoate may be used on artichoke (globe), asparagus, beans, beetroot, broccoli, cabbage (drumhead varieties only), capsicums, carrot, cauliflower, celery, chilli, peas, potatoes and sweet potatoes, onion, parsnips, radish, rhubarb, sweetcorn, tomatoes for processing, tomatoes (large field grown for fresh consumption, prior to commencement of flowering), turnip and zucchini,
- Cucurbits (other than melons, watermelons and zucchini),

Directions for Use:

These directions for use must be used in conjunction with existing label directions and the restraint statements. Where the instructions in this notice are inconsistent with the label instructions, the instructions in this notice must be followed.

Table 1 Crops where existing label directions may continue to be followed.

Fruit crops	Vegetable crops	Non-food crops
Abius Avocado Banana Blackberries Cactus Fruit Casimiroas (White Sapote) Chinese Gooseberries (Kiwifruit) (inedible peel varieties ONLY) Citrus Fruit Custard Apple and cherimoya Feijoa Granadillas Guavas (inedible peel varieties only) Litchis (Lychee) Mangoes Passionfruit, Banana passionfruit Pawpaw (papaya) Persimmons (American -inedible peel varieties ONLY) Pomegranates Raspberries Santols Sapodillas (Chikus) Tamarillos Wax Jambus	<i>Existing labels include preharvest uses only</i> Asparagus Melons and watermelons Onions Rhubarb Watermelons Zucchini Seed dressings (vetches, lupins, peas, lucerne, clover, linseed, canola)	Duboisia, Farm and forest trees Eucalyptus Kurrajongs Oil tea-tree Ornamentals, Protea Shrubs Umbrella trees Wildflowers

Table 2: Crops that are subject to additional restrictions/variations to their existing approved use patterns.

Crop	Additional use restrictions
Blueberries, bilberries and other vaccinium berries	DO NOT exceed a maximum number of 7 applications per crop per season with a minimum retreatment interval of 21 days between consecutive applications. DO NOT harvest for 1 day after final application.
Grapes	DO NOT use after flowering commences
Stone fruit	DO NOT use after petal fall
Artichoke, Globe	DO NOT harvest for 14 days after final application
Beetroot	
Beans	DO NOT harvest for 7 days after application DO NOT graze or cut for stockfood for 7 days after application
Broccoli	DO NOT harvest for 21 days after final application
Cabbage specified drumhead varieties only when grown to maturity to be harvested as head cabbages (see Attachment 3)	DO NOT harvest for 21 days after final application
Capsicum	DO NOT USE as a post-harvest or post-harvest quarantine treatment for capsicums. DO NOT USE as a post-harvest quarantine treatment for capsicums.
Chilli	Preharvest uses DO NOT harvest for 3 days after application
Carrots	DO NOT harvest for 14 days after final application
Cauliflower	DO NOT harvest for 21 days after final application
Celery	
Peas	DO NOT harvest for 7 days after application DO NOT graze or cut for stockfood for 7 days after application
Parsnips	DO NOT harvest for 14 days after final application
Potatoes	DO NOT harvest for 14 days after final application
Sweet potatoes	
Radishes	DO NOT harvest for 14 days after application
Sweet corn	DO NOT harvest for 7 days after application DO NOT graze or cut for stockfood for 7 days after application
Strawberries (runner production – vegetative planting material only)	DO NOT use on fruiting strawberries.

Tomatoes for processing only	DO NOT harvest for 21 days after final application DO NOT USE as a post-harvest treatment for tomatoes. DO NOT USE as a post-harvest quarantine treatment for tomatoes. DO NOT USE on tomatoes grown in covered or protected situations such as glasshouses, green houses or plastic tunnels
Tomatoes, large, field grown for fresh consumption	DO NOT apply after commencement of flowering. DO NOT USE on tomatoes grown in covered or protected situations such as glasshouses, green houses or plastic tunnels. DO NOT USE as a post-harvest treatment for tomatoes. DO NOT USE as a post-harvest quarantine treatment for tomatoes. DO NOT USE on cherry, grape or mini tomatoes.
Turnips	DO NOT harvest for 14 days after final application
Cereals, (including maize, sorghum)	DO NOT harvest for 4 weeks after application DO NOT graze or cut for stockfood for 14 days after application
Cotton	DO NOT harvest for 14 days after application DO NOT feed cotton fodder, stubble or trash to livestock
Oilseeds, Pulses (grain legumes)	DO NOT harvest for 14 days after application DO NOT graze or cut for stockfood for 14 days after application
Pastures, forage crops and leucaena	DO NOT graze or cut for stockfood for 14 days after application

WITHHOLDING PERIODS (see Additional Use Restrictions above)

Citrus

DO NOT harvest for 7 days after application

Blueberries (and other vaccinium berries including bilberries)

DO NOT harvest for 1 day after application

Blackberries, Raspberries

DO NOT harvest for 7 days after application

Grapes, Stone fruit

Harvest withholding period: **NOT REQUIRED WHEN USED AS DIRECTED**

Assorted Sub-Tropical and Tropical Fruit – Inedible Peel (other than Mango and Pineapple), including Abui, Avocado, Banana, Banana Passionfruit, Casimiroas (White Sapote), Cherimoya, Custard Apple, Granadillas, Litchi/Lychee, Passionfruit, Paw Paw, Santols, Sapodillas (Chikus), Wax Jambus

DO NOT harvest for 7 days after application

Mango

DO NOT harvest for 3 days after application

Post Harvest Dipping (Avocados, Bananas, Cactus Fruit, Chilli, Custard Apples, Feijoas, Guavas, Kiwifruit (Chinese Gooseberries inedible peel varieties), Litchis (Lychees), Mangoes, Melons, Passionfruit, Banana Passionfruit, Pawpaws, Persimmons (inedible peel varieties), Pomegranates, Tamarillos, Watermelons)

NOT REQUIRED WHEN USED AS DIRECTED (dip uses only)

Litchis (Lychees) (pre-planting dip)

Harvest withholding period: **NOT REQUIRED WHEN USED AS DIRECTED**

Asparagus, Onions, Rhubarb

DO NOT harvest for 7 days after application

Beans, Peas (green vegetables), Sweetcorn

DO NOT harvest for 7 days after application

DO NOT graze or cut for stockfood for 7 days after application

Beetroot, Carrot, Globe artichoke, Parsnips Potatoes, Radish, Sweet Potatoes, Turnip

DO NOT harvest for 14 days after application.

Broccoli, Cauliflower, Celery

DO NOT harvest for 21 days after application

Strawberries (runner production – vegetative planting material only)

Harvest withholding period: **NOT REQUIRED WHEN USED AS DIRECTED**

Tomatoes (for processing only)

DO NOT harvest for 21 days after application

Tomatoes, large, field grown for fresh consumption
Harvest withholding period: **NOT REQUIRED WHEN USED AS DIRECTED**
(ie. **DO NOT** apply after commencement of flowering)

Drumhead cabbage (specified varieties only)
DO NOT harvest for 21 days after application

Capsicums, Chilli peppers
DO NOT harvest for 3 days after application

Melons (including watermelons), Zucchini
DO NOT harvest for 1 day after application

Cereals, (including maize, sorghum)
DO NOT harvest for 4 weeks after application
DO NOT graze or cut for stockfood for 14 days after application

Cotton
DO NOT harvest for 14 days after application
DO NOT Feed Cotton Fodder, Stubble or Trash To Livestock

Oilseeds, Pulses (grain legumes)
DO NOT harvest for 14 days after application
DO NOT graze or cut for stockfood for 14 days after application

Pastures, forage crops and leucaena
DO NOT graze or cut for stockfood for 14 days after application

Seed dressings (Vetches, Lupins, Peas, Lucerne, Clover, Linseed Canola),
NOT REQUIRED WHEN USED AS DIRECTED

ATTACHMENT 3: Specified varieties of drumhead cabbage. Dimethoate may be used on these varieties to be grown to maturity to be harvested as head cabbages

Seed company	Drumhead Cabbage varieties
Fairbanks Seed	Avachat F ₁ , Grandslam F ₁ , Superba
Terranova	Neptune, Winterhead, Red Queen, Green coronet, Eureka
Lefroy Valley seeds	Conquistador, Burton, Landini
Rijk Zwaan	Racoma RZ F ₁
Ace	Major F ₁ , Red Gem
S&G Seeds	Maxfield
SPS	Arixos, Asia, Kameron, Red jewel
Bejo Seeds	Ducat F ₁ , Gazelle F ₁ , Megaton F ₁ , Benelli F ₁ , Gonzales F ₁ , Mandy F ₁ , Field Glory F ₁ , Score F ₁
Eden seeds	Golden acre, Mammoth red rock
King seeds	Campra F1, Sunta
Yates	Racer Drumhead, Red Dutch
Australian Seed	Mammoth Red Rock, All seasons