

<b>Signal Heading:</b>	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
<b>Product Name:</b>	[INSERT HERE]
<b>Constituent Statement:</b>	100 g/L 2,4-D present as the dimethyl amine salt  [Applicants if your product contains other scheduled excipients please include these here or delete this text]
<b>Mode of Action:</b>	GROUP I HERBICIDE
<b>Statement of Claims:</b>	[INSERT HERE]  THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE DAMAGE TO NATIVE VEGETATION AND SUSCEPTIBLE CROPS SUCH AS COTTON, GRAPES, TOMATOES, OILSEED CROPS AND ORNAMENTALS.
<b>Net Contents:</b>	[INSERT HERE]
<b>Restrains:</b>	See 'SPRAY DRIFT RESTRAINTS' and 'GENERAL RESTRAINTS' sections. This can be uploaded as an attachment when submitting a label
<b>Directions For Use:</b>	Please include a directions for use. As your product is the only registered group 15B product, and because none of the uses for your product are expected to be impacted by the review an updated directions for use has not been prepared for your product.
<b>Other Limitations:</b>	IN TASMANIA, THIS PRODUCT MAY ONLY BE USED FROM 15 APRIL TO 15 SEPTEMBER UNLESS OTHERWISE PERMITTED BY THE REGISTRAR OF PESTICIDES.
<b>Withholding Period:</b>	WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.
<b>Trade Advice:</b>	
<b>General Instructions:</b>	[INSERT HERE]
<b>Resistance Warning:</b>	Resistant Weeds Warning GROUP I HERBICIDE  [INSERT PRODUCT NAME] is a member of the Phenoxy group of herbicides. The product has the Disruptors of plant cell growth mode of action.  For weed resistance management [INSERT PRODUCT NAME] is a Group I herbicide. Some naturally-occurring weed biotypes resistant to [INSERT PRODUCT NAME] and other Group I herbicides may exist through normal

	genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by [INSERT PRODUCT NAME] or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, [INSERT COMPANY NAME] accepts no liability for any losses that may result from the failure of [INSERT PRODUCT NAME] to control resistant weeds.
--	--

<b>Precautions:</b>	If re-entering treated areas before the spray has dried, workers should wear overalls, elbow-length gloves and water-resistant footwear. Clothing must be laundered after each days use.
---------------------	--

<b>Protection Statements:</b>	<p>PROTECTION OF CROPS, NATIVE AND NON-TARGET PLANTS DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures. Avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.</p> <p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.</p>
-------------------------------	--

<b>Storage and Disposal:</b>	<p>[Applicants, please chose from the relevant statements below.]</p> <p>STORAGE AND DISPOSAL:</p> <p>Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.</p> <p>[Refillable Containers] Empty contents fully into application equipment. Close all valves and return to [point of supply/designated collection point/other specific collection details] for refill or storage.</p> <p>[Metal drums and plastic containers] Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.</p> <p>If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>[Containers accompanied by a leaflet</p>
------------------------------	--

	<p>If a label leaflet is to be used as part of the label for various containers that have different disposal instructions, the following 'Disposal' statement may be shown on the label leaflet in place of the full disposal instructions:]</p> <p>The method of disposal of the container depends on the container type. Read the 'Storage and disposal' instructions on the label that is attached to the container.</p> <p>[drumMUSTER containers] This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.</p> <p>Disposal of post-harvest dip Unused or spent dips should be disposed of carefully to avoid contamination of wetlands or watercourses. Dispose of dip in an authorised dip disposal facility. If an authorised dip disposal facility is not available, the spent dip should be evenly spread over flat land not exceeding 20,000 L/ha. The disposal site must be dedicated and adequately bunded (soil at least 15 cm high). DO NOT dispose unwanted spent dip in the same place repeatedly, as repeated depositions in one location may, over time, created a contaminated site</p>
<p><b>Safety Directions:</b></p>	<p>Will irritate the eyes. May irritate the skin. Avoid contact with the eyes and skin.</p> <p>When opening the container and preparing spray or dip, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat. When applying by dip wear protective waterproof clothing, elbow-length chemical resistant gloves and impervious footwear. If product in eyes, wash it out immediately with water.</p> <p>After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.</p>
<p><b>First Aid Instructions:</b></p>	<p>[Applicants if your product contains other scheduled excipients additional first aid instructions may be required, the first aid instructions given here are for the 2,4-D active only]</p> <p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.</p>

## Restraints

### GENERAL RESTRAINTS

DO NOT apply if heavy rains or storms are forecast within 3 days.

DO NOT irrigate to the point of runoff for at least 3 days after application.

DO NOT apply if crop is stressed due to dry or excessively moist conditions.

[Applicants please INSERT additional restraints not covered by the proposed regulatory decision if they are applicable to your product]

### SPRAY DRIFT RESTRAINTS

DO NOT apply by a boom sprayer.

DO NOT apply by aircraft.

Specific definitions for terms used in this section of the label can be found at [www.apvma.gov.au/spraydrift](http://www.apvma.gov.au/spraydrift)

DO NOT allow **bystanders** to come into contact with the spray cloud

DO NOT apply in a manner that may cause an **unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production**, or cause contamination of plant or livestock commodities, outside the application site from **spray drift**. The **buffer zones** in the relevant buffer zone table below provide guidance but may not be sufficient in all situations. Where ever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas

DO NOT apply unless the **wind speed** is between 3 and 20 kilometres per hour at the **application site** during the time of application.

DO NOT apply if there are **hazardous surface temperature inversion** conditions present at the **application site** during the time of application. **Surface temperature inversion conditions** exist most evenings one to two hours before sunset and persist until one or two hours after sunrise.

### VERTICAL SPRAYERS

DO NOT apply by a vertical sprayer unless the following requirements are met:

- Spray is not directed above the target canopy
- The outside of the sprayer is turned off when turning at the end of rows and when spraying the outer row on each side of the application site.
- For dilute water rates up to the maximum listed for each type of canopy specified, minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titles 'Buffer zones for vertical sprayers') are observed.

#### Buffer Zones for Vertical Sprayers

Type of target canopy and dilute water rate	Mandatory buffer zones (distances given in metres)				
	Bystander Areas	Natural Aquatic Areas	Pollinator Areas	Vegetation Areas	Livestock Areas
2 metres tall and shorter, maximum dilute water rate of 1000 L/ha	Not Required	Not Required	Not Required	Not Required	Not Required
Taller than 2 metres (not fully-foliated), maximum dilute water rate of 4000 L/ha		15 metres		15 metres	
Taller than 2 metres (fully-foliated), maximum dilute water rate of 4000 L/ha		10 metres		5 metres	

DRAFT